EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(stereoscopic or stereoscope) and setting adj depth adj information and (two- dimensional\$1 or two adj dimensional\$1) and graphic adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:08
L2	157	(stereoscopic or stereoscope) and depth and(two- dimensional\$1 or two adj dimensional\$1)and graphic adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:09
L3	133	L2 and(@ad<"20020829" or @rlad< "20020829" or @prad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:22
L4	0	L3 and editing adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:23
L5	13	L3 and editing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:23
L6	0	L5 and assigning and depth and quantitative adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:24
L7	0	L5 and depth and quantitative adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:25
L8	0	L5 and depth and quantitative adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:25
L9	13	L5 and depth and values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:25

L10	13	L9 and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:26
L11	9	L10 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:26
L12	133	L3 and (object or circle or triangle or rectangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:33
L13	133	L12 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:34
L14	16	L13 and assign\$3 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:35
L15	16	L14 and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:35
L16	16	L15 and(@ad<"20020829" or @riad<"20020829" or @prad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:35
L17	16	L16 and(object or circle or triangle or rectangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:36
L18	0	L17 and editing adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:36
L19	16	L17 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(graphic adj data or figure adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:37

L20	12	L19 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:38
L21	12	L20 and(@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:39
L22	9	(stereoscopic or stereoscope) and depth and(two- dimensional\$1 or two adj dimensional\$1)and figure adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:52
L23	5	L22 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:52
L25	0	L23 and editing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:53
L26	4	L22 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:53
L27	4	L26 and(object or circle or triangle or rectangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:53
L28	0	L27 and assign\$3 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:53
L29	2	L27 and assign\$3 and depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:54
L30	2	L29 and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:54
L31	11	((HIROAKI) near2 (ZAIMA)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/06 14:56

L32	1	L31 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and figure adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 14:56
L33	36621	"382"/\$.cds.	USPAT	OR	ON	2009/03/06 14:59
L34	0	L33 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and figure adj data	USPAT	OR	ON	2009/03/06 14:59
L35	205	L33 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1)	USPAT	OR	ON	2009/03/06 14:59
L36	5	L35 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:01
L37	4	L36 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:01
L38	0	L37 and assign\$3 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:01
L39	0	707/101,E17.998.181,104.1 E17.009,E17.008.cds.	USPAT	OR	ON	2009/03/06 15:09
L40	0	707/101,E17.998,181,104.1 E17.009,E17.008.cds.	USPAT	OR	ON	2009/03/06 15:10
L41	0	707/101,E17.998,181,104.1, E17.009,E17.008.cds.	USPAT	OR	ON	2009/03/06 15:10
L42	31671	"707"/\$.cds.	USPAT	OR	ON	2009/03/06 15:11
L43	5	L42 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic)	USPAT	OR	ON	2009/03/06 15:14
L44	4	L43 and(@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/03/06 15:14

L45	12	L14 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:14
L46	4	L44 and @ad< "20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:15
L47	0	L46 and assign\$3 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:15
L48	0	L46 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:15
L49	817	700/87,181,86,87.ccls.	USPAT	OR	ON	2009/03/06 15:18
L50	0	L49 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic)	USPAT	OR	ON	2009/03/06 15:19
L51	0	L49 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:19
L52	1292	369/30.04,116,30.04.cds.	USPAT	OR	ON	2009/03/06 15:21
L53	1	L52 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic)	USPAT	OR	ON	2009/03/06 15:22
L54	0	L49 and(stereoscopic or stereoscope) and(editing or modifying) and depth and(two- dimensional\$1) or two adj dimensional\$1)and(figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:26
L55	47	(stereoscopic or stereoscope) and(editing or modifying) and depth and(two-dimensional\$1 or two adj dimensional\$1) and (figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:26
L56	47	L55 and(object or circle or triangle or rectangle)	USPAT	OR	ON	2009/03/06 15:27

L57	4	L56 and assign\$3 and depth adj values	USPAT	OR	ON	2009/03/06 15:27
L58	3	L57 and @ad<"20020829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:27
L59	48093	"345"/\$.ccls.	USPAT	OR	ON	2009/03/06 15:38
L60	278	L59 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic)	USPAT	OR	ON	2009/03/06 15:38
L61	271	L60 and(object or circle or triangle or rectangle)	USPAT	OR	ON	2009/03/06 15:39
L62	49	L61 and assign\$3 and depth adj values	USPAT	OR	ON	2009/03/06 15:39
L63	9	L62 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)	USPAT	OR	ON	2009/03/06 15:40
L64	9	L63 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")	USPAT	OR	ON	2009/03/06 15:40
L65	8	L63 and @ad< "20020829"	USPAT	OR	ON	2009/03/06 15:41
L66	8	L65 and display\$3	USPAT	OR	ON	2009/03/06 15:41
L67	80561	"348"/\$.ccls.	USPAT	OR	ON	2009/03/06 15:49
L68	80561	"348"/\$.cds.	USPAT	OR	ON	2009/03/06 15:49
L69	278	L68 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic)	USPAT	OR	ON	2009/03/06 15:49
L70	275	L69 and(object or circle or triangle or rectangle or polygon or still adj images or animat\$3 adj image\$1 or text or vector)	USPAT	OR	ON	2009/03/06 15:51
L71	34	L70 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)	USPAT	OR	ON	2009/03/06 15:52

L72	0	L71 and(stereoscopic or stereoscope) and (editing or modifying) and disaplay\$3 and sensed and (left and right) same eye and depth and(two- dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:53
L73	0	L71 and(stereoscopic or stereoscope) and disaplay\$3 and sensed and(left and right) same eye and depth and(two- dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:53
L74	0	L71 and(stereoscopic or stereoscope) and disaplay\$3 and sensed and(left and right) same eye and depth	USPAT	OR	ON	2009/03/06 15:53
L75	3	L71 and(stereoscopic or stereoscope) and display\$3 and sensed and(left and right) same eye and depth	USPAT	OR	ON	2009/03/06 15:54
L76	3	L71 and(stereoscopic or stereoscope) and (editing or modifying) and display\$3 and sensed and (left and right) same eye and depth and(two-dimensional\$1 or two adj dimensional\$1 and(figure adj data or graphic adj data)	USPAT	OR	ON	2009/03/06 15:54
L77	3	L76 and(@ad<"20020829" or @rlad< "20020829" or @prad<"20020829" or @prad<"20020829")	USPAT	OR	ON	2009/03/06 15:54
L78	3	L76 and @ad< "20020829"	USPAT	OR	ON	2009/03/06 15:54
L79	·	(("(5278946") or ("20060143020") or ("5037528") or ("4042866") or ("5537528") or ("54042866") or ("5537528") or ("5525201") or ("5631784") or ("5847898") or ("20050086681") or ("20050086681") or ("5453764") or ("5685782") or ("56859342") or ("5767846") or ("5685931") or ("563592") or ("6539592") or ("6539592") or ("66310584") or ("6649302") or ("6649302") or ("6713952") or ("20040049626") or ("20040049626") or ("5341462") or ("6152298") or ("55341462") or ("6152298") or ("55341462") or ("6152298") or ("5341462") or ("6152298") or ("6152988") or ("6152298") or ("61525298") or ("61525298") or ("61525298") or ("61525	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/06 16:04

	***************************************	("20060265649") or ("5367455") or ("5367455") or ("5684947") or ("5684947") or ("4400977") or ("4458857") or ("4546649") or ("45707554") or ("4546669") or ("4578084") or ("4773026") or ("4788424") or ("4835389") or ("4895389") or ("4945245") or ("4944401") or ("5197002") or ("0,pn.")). PN.				
L80	3	L71 and(stereoscopic or stereoscope)and display\$3 and sensed and(left and right) same eye and depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:08
L81	3	L80 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:08
L82	0	L81 and assign\$3 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:09
L83	0	L81 and depth adj values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:09
L84	3	L81 and(object or circle or triangle or rectangle or polygon or still adj images or animat\$3 adj image\$1 or text or vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:10
L85	0	L81 and assign\$3 adj depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:10
L86	3	L84 and depth and values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 16:11
L90	1	(depth adj information and depth and(two-dimensional\$1 or two adj dimensional\$1)and figure adj data).CLM.	US-PGPUB	OR	ON	2009/03/06 16:19

3/6/09 4:20:09 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 6013.wsp